

# The BNA PERFORATOR

Published by The British North America Philatelic Society - Canadian Perfans Study Group

Volume 15, Number 4 - Whole Number 89

July 15, 1994

## The Chairman's Chatter

Mark Fennell

We are pleased to welcome Patrick Durbano as the new editor and publisher of our Study Group Newsletter. It was good to have Patrick VOLUNTEER, which saved us a lot of arm twisting, and frustration, in trying to find someone to fill this important position. I will not say any more about him as a profile has been prepared, which you will find elsewhere in the Perforator, introducing him to you.

Well, just one more word or two. You will notice from the profile that Patrick is eminently qualified for the position as he was editor and publisher of the newsletter for his former employer. Patrick also brings "younger blood" to the fold, and hopefully with it new and vibrant ideas.

I am 73 and have been retired for 8 years. Floyd is a bit younger and retired. If memory serves me correctly, Conrad told me he had been retired for some years, and Stephen retired at the end of June this year, so as you can see, the executive was a bit top heavy in the age department.

Again, welcome Patrick and thanks.

Having a new editor means that the person formerly holding that position has turned over the duties to his successor, and I would like to direct a few words of appreciation to Floyd McNey, who has relinquished the post.

Floyd has been active in the philatelic field for years and is a Past President of the Edmonton Stamp Club. I don't know how long he has had an interest in Perfans, but you will see his name on page iii of the 4th edition of the Perfan Handbook, having participated in the survey that resulted in that publication, so it must have predated 1980 by some years.

Floyd assumed the chairmanship of our Study Group in September 1988, and then in September 1990 he added the duties of editor of the Perforator. He continued in this dual capacity until I was elected in August 1991, but he remained as editor until the publication of his last newsletter in May of this year.

Floyd has served our Study Group well and conscientiously in various ways for 14 years and will continue to be a member. Our sincere and heartfelt thanks is extended to him for a job well done and wish him well in the future with his private business venture.

I'll miss Floyd as he was the closest contact I had with any member of our Group, there being no members other than myself from Saskatchewan; he was close enough that he could come for a visit. We used to have what we called our 29 cent phone calls as that's all it cost for a short, after 6:00 pm, call - cheaper than a letter.

Thanks Floyd and all the best.

### CHAIRMAN

Marcus B. Fennell  
816 - 3rd Ave. N.  
Saskatoon, SK  
Canada S7K 2K2

### SEC/TREASURER

Steven M. Koning  
29 Balsam Avenue  
Toronto, ON  
Canada M4E 3B5

### PUBLISHER/EDITOR

Patrick Durbano  
Box 26532, Markville P.O.  
Markham, ON  
Canada L3R 0M4

### AUCTIONEER

Conrad Tremblay  
3259 Lookout Park  
Rawdon, PQ  
Canada J0K 1S0

## Patrick Durbano - A Profile

Mark Fennell

Patrick is 29 years of age and has been married to Nicola since June 1992. They have no children but have a cat named Snowball that enjoys sleeping on his stamp albums and eating stamp hinges. (Maybe we should take up a collection and buy the poor thing a tin of cat food for a decent meal.)

He began collecting stamps at the age of 8 when his sister bought him a \$1.00 packet of stamps from Woolco for his birthday, and has been working on them ever since. He began collecting perfins about 1984 when he was working part-time for John Talman in Toronto.

He graduated from Centennial College in 1987 with a diploma in Marketing Management, and worked 6 years with RL Polk, a large Direct Marketing and City Directory company, and was editor and publisher of their company newsletter. Polk closed their Canadian operations last October and soon after he started the Durbano Stamp Company, a mail bid sale company. Prior to that he was President of the Jubilee Stamp Company which specialized in Perfin Sales Lists.

Patrick is currently employed by the Ontario Government in their Contractual Mail Services branch as a Sub-contracting Officer.

Last year he obtained a personalized car plate and is now the proud owner of the Ontario Yours to Discover license plate "PERFIN".

Patrick has exhibited both Official Perfins and Private Perfins in Toronto and has won a Silver, a Vermeil and a Best BNA award. He is now trying to specialize in the 4 and 5 Hole OHMS as well as in Pre-Admiral perfins and perfins on the War Tax issues.

He is the Canadian representative of the US Perfins Club and a member of the UK Perfins Society.

Patrick has volunteered to help update certain aspects of our current handbook in preparation for the 5th edition, to be published somewhere down the road, but how far down is at present an unknown factor.

---

## From the Editor's Desk

Patrick Durbano

As you can see, the Perforator has a new look, and a new editor. The new look is courtesy of my WordPerfect software and the HP LaserJet III that I have access to. The new editor is courtesy of Mark and Floyd's willingness to accept me after I applied for the "High-paying job of Editor". (I think I was the only one.)

However, I trust that I will be able to follow in the footsteps of Floyd McNey who has done an admirable job as Editor for the past 4 years. My goals are simple: 1) To produce a high quality newsletter at a reasonable cost; 2) to facilitate the collection and distribution of study group information; 3) to learn more about this fascinating hobby by sharing ideas with the membership and 4) to contribute to the production of our 5th Edition Handbook.

As you are all aware we are a Study Group and as such need each other's input in order to grow and prosper. As a member you should be able to contribute something to the newsletter. This could range from a new find, an interesting usage of a Perfin, a new study of a pattern, a new early or late date or even just a question. Your input is what will spur new questions and new questions will require new answers and new answers will inspire additional questions.

This is how our Study Group can stay fresh, learn and grow.

I would like to hear from anyone that has comments about the new layout (please be gentle - I bruise easy), has information they wish to share with the other members or has an idea for improving our newsletter.

Now that I have drawn the line in the sand, it is time to summarize this month's newsletter. Aside from the Chairman's Chatter in which Mark Fennell thanks Floyd McNey for his great work and introduces me, we have an interesting article from Steve Koning about Trading Perfins, a picture of a new Precancel Perfin and we have our Perfin Study Group Auction #8.

This month Conrad Tremblay has put together our largest auction ever with over 440 lots. There were six contributors of material with almost half the lots coming from a 20-year perfin collector. There are many better items including some with Perfin Factors of C and D. Due to the volume of this collection, Conrad has only been given Patterns A3 to C26 for this auction, however, the balance is due to follow in subsequent auctions.

The closing date for Auction #8 will be August 15, 1994. Get your bids in early as there are many interesting items in this auction.

---

## Trading Perfins - A Proposal

Steve Koning

This idea may not be new, and it may not work, but here it is, perhaps members can react to it, with the view of either rejecting, changing or improving it.

Say I have a "D" perfin (rarity factor), that I wish to trade since it is one of my duplicates.

My trading partner has no "D" perfins which I need, but has many "E" factor perfins. Would it not make sense to trade one "D" perfin for three "E" perfins? Yes you say, but what about catalogue value? Well, catalogue prices themselves reflect relative rarity. So, a "D" factor with a catalogue value of \$3.00 would be traded for three "E" factor perfins each worth \$3.00 in catalogue value. Or, a "D" factor with a catalogue value of \$1.00 would be traded for one "E" factor perfin with a value of \$3.00.

Say I have an "A" factor perfin which I wish to trade away. I should receive in return three "B", nine "C" or 27 "D" perfins. As you know, each letter reflects a step up of a factor of approximately 3, all catalogue values being equal.

Here it is, comments anyone?


---

## New Precancel Perfin

Patrick Durbano

I recently discovered this "ST.C" perfin on the 1 cent Admiral (Scott #104) with an inverted Type 4 Montreal, Quebec precancel. I thought I would share this find as it is unrecorded.

(NOTE: The precancel is a little faint but I hope it can still be reproduced.)



# Largest Multiple Known of the O7 5-Hole "OH/MS"

Patrick Durbano

During the BNAPS convention in Toronto last year I had the pleasure of meeting Jon Johnson and several other members of our Study Group for the first time.


After the 2 hour session that our Study Group had, I introduced myself to Jon and asked him what the largest multiple of the O7 5 Hole "OH/MS" was that he had seen.

After his reply of 15, I showed him this illustrated multiple of 30. I bought this on a Business Trip to British Columbia in 1990. Note that it includes 6 complete impressions of the 5-Die setting.

He commented that it was now the largest block he had seen and that it appeared to be genuine.

It is on the 3 cent George VI (Scott #233) and is dated Victoria, B.C. April 14, 1940.

I am proud of this piece and was able to share it with the group this month because we had an unused space in the Perforator.



The Largest 5-Hole "OH/MS" Multiple Known - Block of 30  
Victoria, B.C. - April 14, 1940

Contains 6 complete die impressions including the Broken "S" variety.

PERFIN STUDY GROUP AUCTION No. 8

Welcome to the 8th auction of the club.

6 consignors offering 444 lots of which 133 are illustrated to help you evaluate the item. A full description of the lots is given, including the perfin factor (PF), the condition of the punch (pattern), the stamp and the cancel if not average. Special cancels are also noted. They explain the higher estimate or reserve price asked.

Starting with this auction, 204 lots from a large collection of perfins are offered. They all have a PF (perfin factor) between "C" to "F". Between 200 and 300 lots from that collection will be offered for sale in each of the following auctions. Several good or rare items can be found. Check carefully every lot !

The lots photographed are:

- All the double or multiple punches, regardless of value;
- All lots with an estimate or reserve value of 5\$ or more;
- All the covers, postcards and perfins on pieces. These lots are reduce in size to 50% to save space.

No bid will be accepted under the reserve (R) value, but are accepted lower bids on lots with an estimate (E) value given by the consignor or by me. Bids lower then 75% of the estimate value will be declined.

Kindly bid by lot number in 10¢ increments below a dollar and 25¢ increments otherwise. Successful bids will be 10% above the next highest bid, rounded up according to the above increments. The Study Group will charge a 10% commission only on lots sold, payable by the consignor.

Successful bidders will be notified by mail. The stamps will be forwarded on receipt of funds. All lots with a 100\$ value or more will be sent by registered mail. Mailing cost will be paid by the bidder.

Send in your bids early to the auctioneer:

Conrad M. Tremblay  
3259 Lookout Park  
Rawdon, Quebec, Canada  
J0K 1S0

or call (514) 834-3052

Bidding closes August 15, 1994 at midnight (postmarked on your letter).

All bids will be in canadian funds. Payments in U.A. dollars are accepted at a discount of 20%.




GOOD LUCK and thank you for your participation.

ABBREVIATIONS USED:









|        |   |          |                            |
|--------|---|----------|----------------------------|
| Circ : | circular                                | SON :    | Sock-on-nose cancellation. |
| Can :  | cancellation                            | d1 :     | Die 1 (re: issue).         |
| (1h.): | No. of holes missing<br>in the pattern. | Des :    | Design (printed image).    |
| G :    | Good stamp                              | T :      | top                        |
| VG :   | Very good.                              | B :      | bottom                     |
| Lgt :  | Light                                   | R :      | right                      |
| Perf.: | Perforations of the stamp.              | L :      | left.                      |
|        |   | Centre : | Centering of the des.      |

PERFIN STUDY GROUP AUCTION No. 8





| Lot # | Style | Issue & Perfin Punched Position | PF     | Description                            | Estimate or Reserve |
|-------|-------|---------------------------------|--------|--|---------------------|
| 1     | A3    | 105-1                           | AN/D   | E Broken circ can                      | E 4.00              |
| 2     |       | 105-1                           |        | (5h.) in N missing - VG - Lgt can      | E 4.00              |
| 3     |       | 115-5                           |        | (8h.) " " - " "                        | E 4.00              |
| 4     |       | 116-1                           |        | Lgt can - G copy - 2 corner perf.pul.  | R 3.00              |
| 5     |       | 117-1                           |        | 8h. in A missing - VG - Lgt can        | E 4.00              |
| 6     |       | "                               |        | VG                                     | R 2.50              |
| 7     |       | 164-1                           |        | Good centering of image - Lgt can      | E 4.00              |
| 8     |       | 165-1                           |        | Xtra lgt can - one corner perf. pull.  | E 4.00              |
| 9     |       | 185-1                           |        | Uncan - (10h.) - 1 corner missing      | E 4.00              |
| 10 P  |       | 189-7                           |        | Latest date 1938/05/22 - Lgt can       | E 5.00              |
| 11 P  | A4    | 89-1                            | AR/&Co | D Wavy can - A couple of perf pulled   | E 8.00              |
| 12 P  |       | 90-1                            |        | " " - Fair copy                        | E 8.00              |
| 13 P  |       | 104-1                           |        | " " - Des to T                         | E 8.00              |
| 14    | A8    | 133-1                           | AYRE   | F " "                                  | E 1.50              |
| 15    |       | "                               |        | VG                                     | E 1.50              |
| 16    |       | 134-1                           |        | Vg                                     | E 2.00              |
| 17    |       | "                               |        | Xtra lgt can - Part of des erased      | E 2.00              |
| 18    |       | 135-1                           |        | Good copy - Corner perf pulled         | E 2.00              |
| 19    |       | 139-1                           |        | Creased - Smudge can                   | E 3.00              |
| 20 P  |       | 142-1                           |        | No apparent can - VG copy              | E 7.00              |
| 21 P  |       | "                               |        | " " " - (1h.) - Des to R               | E 5.00              |
| 22    |       | 146-2                           |        | Date typed: 1.18.29.                   | E 1.50              |
| 23    |       | 147-2                           |        | VG stamp - Lgt can                     | E 2.00              |
| 24    |       | 149-2                           |        | E missing - (9h.) - 1 perf pulled      | E 2.50              |
| 25    |       | 151-2                           |        | VG stamp - Xtra lgt can                | E 4.00              |
| 26    |       | 153-2                           |        | Lgt can - Des to L - corner perf pul.  | E 4.00              |
| 27 P  |       | 156-2                           |        | " " - G center - " creased             | E 6.00              |
| 28    |       | 157-2                           |        | Split "E" punch - VG                   | E 4.00              |
| 29    |       | "                               |        | Split punch - One corner pulled        | E 2.50              |
| 30    |       | 164-2                           |        | " " " " " + 1 perf                     | E .50               |
| 31    |       | "                               |        | Date typed: 5.23.30.                   | E .50               |
| 32    |       | 165-2                           |        | Part of very lgt can - VG              | E .50               |
| 33    |       | "                               |        | Lgt slogan can - VG                    | E 1.00              |
| 34    |       | 166-1                           |        | Lgt smudge can - VG                    | E 1.50              |
| 35    |       | 167-2                           |        | Split "E" - Uncancelled - Superbe      | E 1.50              |
| 36    |       | "                               |        | Incomplete pattern (5h.) - Uncancelled | E 1.50              |
| 37    |       | 173-2                           |        | Uncancelled - G centering              | E 1.50              |
| 38    |       | "                               |        | Typed date: 4/2/32 - Lgt violet can    | E 1.50              |
| 39    |       | 175-1                           |        | Lgt slogan can                         | E 2.00              |
| 40 P  |       | 177-2                           |        | Split E punch - Smudge can             | E 10.00             |
| 41 P  |       | 179-2                           |        | " " " - Corner & top sm tear           | E 5.00              |
| 42 P  |       | 180-2                           |        | A couple of perf missing - lgt can     | E 12.00             |
| 43    |       | 256-3                           |        | Wavy can - G                           | E 1.00              |
| 44    | A9    | 132-1                           | AYRE   | G Uncancelled - G                      | E .50               |
| 45    |       | 141-1                           |        | Lgt can - G                            | R 4.00              |
| 46    |       | 184-1                           |        | VG - Lgt can - (3h. in E)              | E 1.00              |
| 47    |       | 185-1                           |        | Lgt can - Des to BL                    | E 1.00              |
| 48    |       | 186-1                           |        | VG - Small part of violet can          | E 1.00              |
| 49    |       | 187-1                           |        | Slogan can - G                         | E 1.00              |
| 50    |       | 188-1                           |        | " " G                                  | E 2.00              |



|       |     |             |         |   |  |   |       |
|-------|-----|-------------|---------|---|--|---|-------|
| 51    | A9  | 189-1       | AYRE    | G | Wavy can - VG                            | E | 1.00  |
| 52    |     | 254-1       |         |   | Lgt can - VG                             | E | 2.00  |
| 53    |     | 254-3       |         |   | " " - Des to TR                          | E | .50   |
| 54    |     | 191-1       |         |   | Uncancelled - VG                         | E | 1.00  |
| 55    |     | 191a-1      |         |   | " Des a bit to T                         | E | 2.00  |
| 56    |     | 195-2       |         |   | VG - Almost uncancelled                  | E | 2.50  |
| 57    |     | 196-2       |         |   | Violet parcel post can - Des to BL       | E | 1.50  |
| 58    |     | 231-2       |         |   | Light wavy can - Superbe copy            | E | 1.00  |
| 59    |     | 246-3       |         |   | Light slogan - (3h. in A)                | E | .75   |
| 60    |     | 247-1       |         |   | " "                                      | E | 1.00  |
| 61    |     | 247-3       |         |   | Lgt can - Few perf pulled                | E | .50   |
| 62    |     | 252-2       |         |   | VG                                       | E | 2.00  |
| 63    |     | 255-1       |         |   | Wavy can                                 | E | 1.50  |
| 64    |     | 255-3       |         |   | Lgt wavy can - 1 perf pulled - G         | E | 1.25  |
| 65    |     | 256-1       |         |   | G  | E | 1.00  |
| 66    |     | 256-3       |         |   | Light slogan - VG                        | E | 1.25  |
| 67 P  | B1  | 89-1        | (B)star | E | Wavy can-Complete punch-1 corner creased | E | 8.00  |
| 68 P  |     | 90-1        |         |   | Wavy can - Des to BR                     | E | 8.00  |
| 69    |     | 104-3       |         |   | Wavy can (5h.)-Perf cut - Des to T       | E | 3.00  |
| 70 P  |     | 106-3       |         |   | Wavy can - (4h.) - VG                    | E | 8.00  |
| 71 P  | B2  | 218-1       | "       | D | Windsor AP 29 37 - Early use - G         | E | 10.00 |
| 72 P  |     | 223.1       |         |   | Windsor MR 31 37 - Early use             | E | 15.00 |
| 73 P  |     | 223-1       |         |   | Windsor SE 14 38                         | R | 8.00  |
| 74 P  | B5  | 104-1       | BC/ER   | D | Dark wavy can - Fair centering           | E | 12.00 |
| 75 P  |     | 106-1       |         |   | Flag can - Split - Pulled perf at T      | E | 10.00 |
| 76 P  |     | 135-1       |         |   | Sm part of circ can " " at T             | E | 15.00 |
| 77    | B9  | FX3-2       | B/LL/B  | G | Light can - Des to L - VG                | R | 3.50  |
| 78    |     | FWT8-4      |         |   | Good centering                           | R | 2.00  |
| 79    |     | FWT13-2     |         |   | Lgt violet can - Des to L - SE at R      | E | 4.00  |
| 80    | B11 | 106-1       | BofM    | F | Wavy can                                 | E | .75   |
| 81    |     | 107-1       |         |   | Slogan can                               | E | .75   |
| 82    |     | 108-5       |         |   | Slogan can                               | E | 1.00  |
| 83    |     | 108i-5      |         |   | Wavy can - SE at R - Diff color          | E | 1.00  |
| 84    |     | 109-7 die 2 |         |   | Wavy can (3h.) Des to B-1perf pulled     | E | 1.00  |
| 85    |     | 111-1       |         |   | Wavy can - 4 perf pulled- Damaged        | E | .75   |
| 86 P  |     | 115-1       |         |   | Partial can - Sm crease at T             | E | 5.00  |
| 87 P  |     | 116-1       |         |   | R can - 1 corner perf pulled - VG        | E | 5.00  |
| 88    |     | 119-1       |         |   | Light Reg'd can - Des cut at B           | E | 2.00  |
| 89    |     | 120-1       |         |   | Heavy R can - (3h.)                      | E | 4.00  |
| 90    |     | MR3-1       |         |   | Wavy can- SE - Cut at bottom             | E | .50   |
| 91    |     | MR4-1       |         |   | Wavy can - Sm tear bottom - Des to R     | E | .50   |
| 92    |     | 135-1       |         |   | Wavy can - split punch -stained Back     | E | 2.00  |
| 93    |     | 150-1       |         |   | Wavy can - Fine copy                     | E | .50   |
| 94 P  |     | 151-1       |         |   | Slogan can - Fair centering              | E | 7.00  |
| 95    |     | 152-1       |         |   | Latest date reported - AU 30 31          | E | 3.00  |
| 96 P  |     | 154-1       |         |   | Roller can - Fresh copy - Fair center    | E | 7.00  |
| 97 P  |     | C1-1        |         |   | Heavy slogan - 1 corner pulled, rare     | E | 10.00 |
| 98    |     | 155-3       |         |   | Winnipeg 3-ring AP 6 29 - VG             | E | 3.00  |
| 99    |     | 164-1       |         |   | Slogan can - Des to BL - (3h.)           | E | 1.00  |
| 100   |     | 165-1       |         |   | Wavy can - VG -                          | E | 1.00  |
| 101   |     | 165a-1      |         |   | Slogan can - Fair centering              | E | 1.00  |
| 102   |     | 173-5       |         |   | Purple circ can - Des to L               | E | 2.00  |
| 103 P | B13 | FX56-4      | BR      | C | Blue smudge at R                         | R | 10.00 |
| 104   | B14 | 116-1       | BT      | I | Roller can                               | E | 2.50  |
| 105   |     | 202-1       |         |   | SON Kitchener, Ont. JU 12 33             | E | 3.00  |



|     |     |        |          |       |  |   |       |
|-----|-----|--------|----------|-------|--|---|-------|
| 106 | B15 | BT     | 312-1    | H     | Corner circular cancel                   | R | 1.50  |
| 107 |     | FX64-4 |          |       |  | R | 1.50  |
| 108 |     | 338-1  |          |       | Vertical pair - light cancel             | R | .75   |
| 109 | P   | C5     | 90-3     | CB    | C Cork can - Complete punch-1 perf.pul.  | E | 20.00 |
| 110 |     | C8     | 104-1    | CCC   | F Wavy can - Design to B                 | E | 1.00  |
| 111 |     |        | 106-1    |       | Wavy can - Des to R                      | E | .50   |
| 112 |     |        | 106i-1   |       | Wavy can - Des to BR                     | E | .50   |
| 113 |     |        | 108-3    |       | Wavy can - A couple of perf pulled       | E | .50   |
| 114 |     |        | 108i-1   |       | Wavy can - VG                            | E | .50   |
| 115 |     |        | MR2-1    |       | Light wavy can - G                       | E | 2.00  |
| 116 |     |        | MR3-1    |       | Wavy can - G                             | E | 2.00  |
| 117 |     |        | MR4-1    |       | Wavy can - Des to BL - Corner perf pul   | E | .50   |
| 118 |     |        | 135-1    |       | Wavy can - SE at B - Fair copy           | E | 2.00  |
| 119 |     |        | 142-5    |       | Wavy can - VG - 2 complete punches       | E | 3.00  |
| 120 |     |        | 190-1    |       | Slogan can-Des to TR-Very sm tear        | E | 2.00  |
| 121 |     |        | 199-1    |       | Wavy can - Fair centering of des         | E | 3.00  |
| 122 |     |        | FX40-4   |       | Sm part of violet can - VG               | E | 4.00  |
| 123 | P   |        | FX64-4   |       | SE at B - Sm thin - Good centering       | E | 5.00  |
| 124 | P   | C9     | 104-1    | CC/&F | E Wavy can - Des to T                    | E | 10.00 |
| 125 |     |        | 106-1    |       | Light can - Des to L                     | R | 3.00  |
| 126 | P   |        | 106-7    |       | Wavy can - Des to T                      | E | 10.00 |
| 127 |     | C10    | 142-5    | C(Co) | G Lgt can - 2 complete ouches - VG       | R | 1.25  |
| 128 | P   | C11    | 106-1X   | CCR   | G Double punch - Lgt can - Des to R      | R | 1.00  |
| 129 | P   |        | 111-1+3X |       | Punched two positions - Wavy can         | R | 3.00  |
| 130 | P   |        | MR3-5x   |       | Double punch - Wavy can                  | R | 2.00  |
| 131 | P   | C12    | 106-5    | CEA   | D Split p. - Stratford Station 22, thin  | E | 12.00 |
| 132 | P   |        | 108-1    |       | Wavy can - Des to R                      | E | 15.00 |
| 133 | P   |        | 120-3    |       | Heavy can - G - (unreported issue)       | E | 25.00 |
| 134 |     | C13    | 107-1    | CFF   | F Slogan can - Scuff on face - Des to BL | E | 1.00  |
| 135 |     |        | 108-1    |       | Wavy can - 3 perf pulled (1h.)           | E | 2.00  |
| 136 |     |        | 109-5    | die 2 | Light slogan can - Des to TR             | E | 2.00  |
| 137 |     |        | 116-1    |       | Very pale roller can - Des to L          | E | 3.00  |
| 138 |     |        | 117 -1   |       | Heavy smear can                          | E | 4.00  |
| 139 |     |        | 142-1    |       | Slogan can - SE at B - Split (5h.)       | E | 3.00  |
| 140 |     |        | "        |       | Thin                                     | R | 1.00  |
| 141 |     | C14    | 89-3     | C/GE  | F Wavy can - Des to L                    | E | 2.00  |
| 142 |     |        | 90-1     |       | Wavy can - Des to R                      | E | 1.00  |
| 143 |     |        | 91-1     |       | Light circ can - Des to TL               | E | 4.00  |
| 144 |     |        | 93-1     |       | Heavy Duplex - Corner missing            | E | 2.00  |
| 145 |     |        | 104-1    |       | Duplex can - Des cut at left w/stain     | E | 1.00  |
| 146 |     |        | 106-1    |       | Slogan can - Good centering of des       | E | 1.00  |
| 147 |     |        | 107-1    |       | " " - SE at L - G                        | E | 2.00  |
| 148 |     |        | 108-1    |       | Wavy can (2h.) split, Des to T           | E | 1.50  |
| 149 |     |        | 109-1    | die 1 | Vert. Toronto roller - Des to B          | E | 2.00  |
| 150 |     |        | 110-1    |       | Roller can Toronto JUN 13 - VG           | E | 3.00  |
| 151 |     |        | 111-1    |       | Duplex can - G                           | E | 3.00  |
| 152 |     |        | 115-1    |       | Roller can Toronto 1923 JUN 11 - VG      | E | 4.00  |
| 153 |     |        | 116-1    |       | Roller can - Corner crease,perf miss.    | E | 3.00  |
| 154 |     |        | 118-1    |       | Xtra light can - VG                      | E | 4.00  |
| 155 | P   |        | 144-1    |       | Toronto roller - Des to R                | E | 5.00  |
| 156 |     |        | 150-1    |       | Roller can - Des to TL                   | E | 1.00  |
| 158 | P   |        | 157-1    |       | Ottawa 3-ring can - Des to TL - G        | E | 10.00 |
| 157 |     |        | 150-1    |       | Slogan can -                             | R | 1.00  |
| 159 |     |        | 191-1    |       | Wavy can - crease at R - Des to B        | E | 3.00  |
| 160 |     |        | 196-7    |       | Wavy can - Des touching perf at R        | E | 1.00  |
| 161 |     |        | 218-7    |       | Part can - Crease                        | E | 2.00  |






|     |     |          |       |   |   |   |       |
|-----|-----|----------|-------|---|---|---|-------|
| 162 | C14 | 223-1    | C/GE  | F | Part of can - Des to B                    | E | 3.00  |
| 163 |     | 232-1    |       |   | Slogan can - few perf pulled at T         | E | 1.00  |
| 164 |     | 233-1    |       |   | Very lgt slogan can - G                   | E | 1.00  |
| 165 |     | 241-2    |       |   | Ottawa partial can                        | E | 3.00  |
| 166 | P   | 260-2+4X | C/GE  | H | Mirror on 2 stamps - 3 STAMPS VERT.       | R | 10.00 |
| 167 |     | 305-1    |       |   | Retooled - VG - Light can                 | R | .75   |
| 168 | C17 | 106-1    | C(HI) | E | Part of light circ can - Des to B         | E | 4.00  |
| 169 | P   | 107-1    |       |   | Duplex can - VG                           | E | 5.00  |
| 170 |     | 108-1    |       |   | Split code hole 0 - very light can        | E | 4.00  |
| 171 |     | 150-1    |       |   | Wavy can                                  | E | 4.00  |
| 172 | P   | 190-1    |       |   | Dated 35 - VG                             | E | 6.00  |
| 173 |     | 197-3    |       |   | Code hole 0 missing - Wavy can            | E | 4.00  |
| 174 |     | 219-3    |       |   | Split code hole 0 - Part of N Battle.     | E | 4.00  |
| 175 | P   | 221-7    |       |   | Circ can - Fresh copy                     | E | 6.00  |
| 176 |     | 231-1    |       |   | Slogan can - Good                         | E | 4.00  |
| 177 |     | 233-3    |       |   | Light violet can                          | R | 2.50  |
| 178 |     | "        |       |   | Wavy can - Des to L                       | E | 4.00  |
| 179 | P   | 250-5    |       |   | Split code hole 0 - Light slogan can      | E | 5.00  |
| 180 | P   | 107-3    | C(HI) | E | Lgt can - Des touching perf at T          | E | 5.00  |
| 181 | P   | MR3-3    |       |   | Duplex can - Des to R                     | E | 5.00  |
| 182 | P   | MR4-1    |       |   | Duplex can - Des well center              | E | 7.00  |
| 183 | P   | 141-1    |       |   | Light slogan can - SE at B                | E | 7.00  |
| 184 | P   | 149-7    |       |   | Heavy duplex can - Des touching perf      | E | 5.00  |
| 185 | P   | 150-3    |       |   | Slogan can - Des touching perf at R       | E | 5.00  |
| 186 |     | 153-1    |       |   | Duplex can - SE at T - des cut at R       | E | 2.00  |
| 187 | P   | 190-5    |       |   | Light can - Des to BL                     | E | 5.00  |
| 188 | P   | 223-1    |       |   | Wavy can - Des to L                       | E | 7.00  |
| 189 | P   | 232-1    |       |   | Split - Light can - Vg center             | E | 5.00  |
| 190 | P   | 241a-2   |       |   | Roller can - Des to T - missing pins      | E | 10.00 |
| 191 | P   | 257-2    |       |   | Light Yorkton can - Fair center           | E | 10.00 |
| 192 | C19 | 107-1    | C(HI) | E | Xtra light can - Des to TL                | E | 2.00  |
| 193 |     | 108-5    |       |   | Heavy duplex can - G centering            | E | 3.00  |
| 194 |     | 150-7    |       |   | Wavy can - Des touching R perf.           | E | 3.00  |
| 195 | P   | 150-1/5  |       |   | Mirror pair - Weyburn JAN 22 29           | E | 10.00 |
| 196 |     | 164-5    |       |   | Wavy can - G                              | E | 4.00  |
| 197 |     | 166-5    |       |   | Heavy duplex can - Few perf short         | E | 3.00  |
| 198 | P   | 190-1    |       |   | Creases - Light can - Des to BR           | E | 5.00  |
| 199 | P   | 287-1    |       |   | Lgt wavy can - Superbe copy               | E | 6.00  |
| 200 | P   | 351-1    |       |   | Fort Williams roller - G                  | E | 8.00  |
| 201 | C20 | 89-3     | C(HI) | F | Wavy can - Des to R - Light stain         | E | 3.00  |
| 202 |     | 106-1    |       |   | Wavy can - SE, Des cut at L, corner pull. | E | 2.00  |
| 203 |     | 107-5    |       |   | Slogan can - Des to BL                    | E | 3.00  |
| 204 | P   | 142-1    |       |   | Slogan can - Des to TR - VG               | E | 5.00  |
| 205 |     | 150-1    |       |   | Light slogan - Fair center                | E | 3.00  |
| 206 |     | 218-5    |       |   | Wavy can (3h.) + few blind perf.          | E | 3.00  |
| 207 |     | 219-1    |       |   | Lgt wavy can - Thin, 1corner perf pull.   | E | 2.00  |
| 208 |     | 231-5    |       |   | Slogan can - Thin                         | E | 2.00  |
| 209 |     | 232-5    |       |   | Wavy can - G                              | E | 3.00  |
| 210 |     | 233-1    |       |   | Slogan can - G                            | E | 3.00  |
| 211 |     | 341-3    |       |   | Wavy can - Split code hole 0              | E | 3.00  |
| 212 | P   | 233-1    | C(HI) | D | VG copy                                   | E | 8.00  |
| 213 | C22 | 105-7    | C(HI) | F | Calgary MY 19 30 can - Des to R           | E | 3.00  |
| 214 |     | 142-3    |       |   | Heavy slogan can - Des to TL              | E | 4.00  |
| 215 |     | 150-1    |       |   | JAN 3- 30 cancel - (2h.) Des to BL        | E | 2.00  |
| 216 |     | 196-1    |       |   | Heavy Calgary APR 18 34 cancel - (2h.)    | E | 3.00  |
| 217 |     | 197-5    |       |   | Light can - (2h.) incomplete punch        | E | 1.00  |
| 218 |     | 218-1    |       |   | VG  | R | 1.25  |




166




169 172




175 179



180 181



182 183




184 185



187 188




189 190



191



195




200



204




212



198 199

|     |       |             |       |   |  |      |       |
|-----|-------|-------------|-------|---|--|------|-------|
| 219 | C22   | 218-5       | C(HI) | F | Light wavy cancel                        | E    | 2.00  |
| 220 |       | 232-1       |       |   | Heavy slogan can                         | E    | 2.00  |
| 221 |       | 233-1       |       |   | Light wavy cancel                        | E    | 1.00  |
| 222 |       | 235-7       |       |   | Heavy Calgary roller can -des to L (1h)  | 3.00 |       |
| 223 |       | 241-5       |       |   | SON circ can Calgary MR4 42 - S.O.8      | E    | 4.00  |
| 224 |       | 254-3       |       |   | Wavy can - Split code hole 0             | E    | 3.00  |
| 225 |       | no lot      |       |   |  |      |       |
| 226 | C23   | 90-1        | C(HI) | F | Wavy can - Light line in R margin        | E    | 3.00  |
| 227 |       | 107-1       |       |   | Slogan can - G                           | E    | 3.00  |
| 228 |       | 108-5       |       |   | Light slogan - SE at right               | E    | 3.00  |
| 229 |       | 109-1 die 1 |       |   | Slogan can - SE at R, perf pulled at T   | E    | 2.00  |
| 230 |       | MR4-3       |       |   | Wavy can SE at L                         | E    | 4.00  |
| 231 |       | 150-5       |       |   | Roller can - Des to BR - sm crease BR    | E    | 2.00  |
| 232 |       | 166-5       |       |   | Uncancelled - Des to Top                 | E    | 4.00  |
| 233 |       | 167-3       |       |   | Slogan can - Des cut at bottom           | E    | 2.00  |
| 234 |       | 169-5       |       |   | Incomplete punch,corner perf pulled,thin | 2.00 |       |
| 235 |       | 197-5       |       |   | Heavy slogan cancel                      | E    | 2.00  |
| 236 |       | 218-3       |       |   | Wavy cancel                              | E    | 2.00  |
| 237 |       | 219-1       |       |   | " " Des to R                             | E    | 2.00  |
| 238 |       | 225-7       |       |   | Edmonton Jan 27 39 - Superbe             | E    | 4.00  |
| 239 |       | 231-5       |       |   | Light slogan can - VG                    | E    | 3.00  |
| 240 |       | 232-5       |       |   | Wavy can - VG                            | E    | 3.00  |
| 241 |       | 233-1       |       |   | Lgt wavy can - (1h.) Superbe copy        | E    | 2.00  |
| 242 |       | 235-1       |       |   | Wavy can - (2h.)                         | E    | 3.00  |
| 243 |       | 241-8       |       |   | Edmonton 40 (partial circ cancel)        | E    | 4.00  |
| 244 |       | 249-5       |       |   |  | E    | 3.00  |
| 245 | P C24 | 235-5       | C(HI) | G | Strip of 5 - Few perf short              | R    | 2.00  |
| 246 | P     | 254-1+5X    |       |   | 2-position double Slogan cancel          | R    | 4.00  |
| 247 | C25   | 142-2       | C(HI) | G | Slogan cancel                            | R    | 1.50  |
| 248 | C26   | 106-1       | C(HI) | E | Duplex can - Des cut at Top              | E    | 4.00  |
| 249 | P     | 107-7       |       |   | Duplex can - SE at T                     | E    | 5.00  |
| 250 | P     | 112-3       |       |   | Duplex can - SE at B                     | E    | 7.00  |
| 251 | P     | 152-7       |       |   | Very light duplex can - Fair center      | E    | 7.00  |
| 252 | P     | 152-5X      |       |   | Double plus - Duplex can - Des to R      | E    | 10.00 |
| 253 | P     | 154-5       |       |   | Split code hole 0, Duplex can,des to R   | E    | 7.00  |
| 254 | P     | 163-5       |       |   | RPO - W102, RF 75, route 14              | E    | 5.00  |
| 255 | P     | 173-3       |       |   | Duplex can - (3h.), incomplete pattern   | E    | 6.00  |
| 256 | P     | 197-5       |       |   | Wavy cancel                              | E    | 5.00  |
| 257 | P     | 213-1       |       |   | Wavy can - VG                            | E    | 8.00  |
| 258 |       | 217-5       |       |   | VG                                       | R    | 3.50  |
| 259 | P     | 219-5       |       |   | Duplex cancel                            | E    | 5.00  |
| 260 |       | 233-3       |       |   | Wavy cancel - (10h.) - Thin              | E    | 3.00  |
| 261 |       | 8-231-1     |       |   | Winnipeg precancelled - Thin             | E    | 3.00  |
| 262 | C27   | 242-1       | C(HI) | F | SON London AU 29 40                      | R    | 1.50  |
| 263 |       | 242-3       |       |   | SON London MY 21 40                      | R    | 1.50  |
| 264 | C28   | 91-5        | C(HI) | H | Duplex cancel                            | R    | 2.00  |
| 265 |       | FX68-2      |       |   | Pen cancel                               | R    | 3.00  |
| 266 | C29   | 241-8       | C(HI) | F | SON Ottawa Sub No. 28 / AP 15 40         | R    | 1.50  |
| 267 | P C32 | 107-1       | C(HI) | F | Pair - Split Saskatoon can - Des to T, R | 5.00 |       |
| 268 | P     | 150-1       |       |   | Pair - Very light cancel                 | E    | 5.00  |
| 269 | C34   | 163i-1      | C(HI) | E | die 1 - Circ cancel ...VA...OCT 9 31     | R    | 3.00  |
| 270 | C36   | 224-6       | CIL   | F | Second state - Montreal duplex can       | R    | 1.50  |
| 271 |       | FX67-5      |       |   |  | R    | 4.00  |
| 272 | C37   | 90-1        | C(Jo) | F | VG - light wavy cancel                   | R    | 2.00  |
| 275 | C40   | 91-1        | CNR   | F | SON Winnipeg cancel                      | R    | 2.50  |
| 273 | C38   | 104-5       | CMS   | G | Part of Duplex can - SE at B             | E    | 1.00  |
| 274 |       | 108-5       |       |   | Part of duplex cancel                    | E    | 1.00  |



245



246



249

250



251

252



253

254




255


256



259



257




267




268

|     |     |          |             |        |   |  |       |      |
|-----|-----|----------|-------------|--------|---|--|-------|------|
| 276 | C41 | 363-2    | CNR         | H      | VG - Peace River, B.C. roller cancel                                    | E  | 2.00  |      |
| 277 | C43 | 109-1 d1 | "           | F      | Light Vancouver roller cancel   | E  | 2.00  |      |
| 278 |     | 144-3    |             |        | Circ can - JAN 16 28 - SE at B  | E  | 2.00  |      |
| 279 | P   | 241-2X   |             |        | Block of 4 -One pr double - cancelled Vancouver NO 18 42                | E  | 10.00 |      |
| 280 | P   | 243-1/5  |             |        | Blk of 4 - Mirror pr, New Westminster OC 10 42                          | E  | 10.00 |      |
| 281 | P   | 456-2X   |             |        | Blk of 4 - Perfect double, - - 69                                       | E  | 10.00 |      |
| 282 | P   | 461-1    |             |        | BLK of 4 - One pr perfined/one pr not perfined - Roller cancel Kamloops | E  | 10.00 |      |
| 283 |     | FX38-4   |             |        | Very light can - Des to BL  | E  | 2.00  |      |
| 284 |     | FX40-2   |             |        | Very light can - Des to T   | E  | 3.00  |      |
| 285 | P   | C44      | 105-1 d1    | CNR    | F   | Broken die var. (IR) VG lgt slogan                           | E     | 5.00 |
| 286 |     |          | 141-1       |        | Slogan cancel - Des to TL   | E  | .75   |      |
| 287 |     | C45      | 327-1       | CNR    | I   | Strip of 3 hor. - Calgary NO 17 53                           | E     | 3.00 |
| 288 |     |          | 334-3       |        | Part of light Registered can - VG                                       | E  | 1.50  |      |
| 289 | P   | C47      | 90-1        | C.P.   | D   | Wavy cancel - Des to TR                                      | R     | 8.00 |
| 290 | P   | C49      | 90-1        | CPR    | D   | Wavy can - Des to top, one perf pull.                        | R     | 8.00 |
| 291 |     | C50      | FX36-4      | "      | H   | VG   | R     | 2.00 |
| 292 | P   | C51      | 214-1       | "      | I   | Block of 4 - Circ can - VG                                   | R     | 6.00 |
| 293 |     |          | 215-1       |        |   | Light circ cancel  | R     | 2.00 |
| 294 |     |          | 351-3       |        |   | Mint plate block - Lightly hinged - few perforations missing | R     | 2.00 |
| 295 | P   |          | 285-3X pair |        |   | Double punch - Part of duplex can                            | R     | 1.50 |
| 296 | P   | C52      | 106-1+3X    | CPR    | I   | Multi-position double - VG                                   | R     | 4.00 |
| 297 |     |          | 155-1       |        |   | SON Calgary (date not clear) MP                              | E     | 1.00 |
| 298 |     |          | 155-4       |        |   | Very nice blk of 4   | E     | 4.00 |
| 299 |     |          | 8-249-1     |        |   | Precancelled #5850 - Few perf miss.                          | R     | .50  |
| 300 |     | C53      | 313-3       | CPR    | H   | SON Victoria 13 IV 53  |       |      |
|     |     |          |             |        |   | Design cut by perf at R                                      | R     | 1.00 |
| 301 |     | C54      | 155-1       | CSL    | F   | Part of circ cancel  | R     | 1.50 |
| 302 |     |          | 202-1       |        |   | Lgt wavy can - (1h.) - Des to L                              | E     | 3.00 |
| 303 | P   | C58      | FCD2-3      | CTC(o) | E   | 1 2/3 punch - VG   | E     | 5.00 |
| 304 |     |          | FCD2-3      |        |   | Montreal slogan - no date in circ can                        | R     | 3.00 |
| 305 | P   | C63      | 106-1+6X    | CXL    | F   | Multi-pos double - (1h.) - Des to L                          | R     | 4.00 |
| 306 | P   |          | 155-3       |        |   | Vert pr, roller can, (1h.), rare in pr                       | E     | 5.00 |
| 307 |     | D4       | 107-3       | DG/Co  | F   | Light cancel   | R     | 2.50 |
| 308 |     | D6       | 223-1       | DM/Co  | G   | VG - part of Toronto roller                                  | R     | 1.50 |
| 309 | P   |          | FCD1-7      |        |   | Part of large oval can (violet)                              | R     | 5.00 |
| 310 |     | F2       | 135-1       | FCC    | E   | Wavy cancel - Des to TR                                      | R     | 2.50 |
| 311 |     | G1       | FWT7-8      | G      | F   | Light cancel - SE at B                                       | E     | 2.00 |
| 312 |     | G2       | 150-1       | G/IC   | E   | Wavy can - Des to BR   | E     | 3.00 |
| 313 |     | G5       | 104-7       | G-K    | E   | Wavy cancel  | E     | 3.00 |
| 314 |     |          | 104-3       |        |   | Wavy can - (4h. MISSING IN K)                                | E     | 3.00 |
| 315 |     |          | 104-5       |        |   | (4h. missing in "G")   | E     | 3.00 |
| 316 |     |          | 105-7       |        |   | Perforations cutting des at L - (1h.)                        | E     | 3.00 |
| 317 |     |          | 105-3       |        |   | Wavy cancel - Des to L                                       | E     | 3.00 |
| 318 |     |          | 105-5       |        |   | Lgt wavy cancel - One perf pulled                            | E     | 3.00 |
| 319 |     |          | 105-7       |        |   | Heavier wavy can - Des to R                                  | E     | 3.00 |
| 320 |     |          | 115-1       |        |   | Des to L - (5h. in K) -yellowish paper                       | E     | 3.00 |
| 321 |     |          | 115-5       |        |   | Uncancelled - The "G" missing                                | E     | 3.00 |
| 322 |     |          | 117-1       |        |   | St. John's broken circle DE 10 19                            | E     | 4.00 |
| 323 |     |          | 117-3       |        |   | Split punch - Wavy cancel                                    | E     | 3.00 |
| 324 |     |          | 117-3       |        |   | Complete punch - Wavy cancel                                 | E     | 3.00 |
| 325 |     | G6       | 170-1       | G/LD   | G   | Uncancelled - One perf pulled                                | E     | 3.00 |




279




280




281




282



292



285 289 290



295



296



303



305




309



306

|       |       |            |               |   |  |   |       |
|-------|-------|------------|---------------|---|--|---|-------|
| 326   | G17   | 110-1      | GWL           | G | Minor faults   | E | 1.00  |
| 327 P |       | 158-1      |               |   | Winnipeg duplex can - MP   | R | 35.00 |
| 328 P | J1    | 106-1      | JA            | E | Very light wavy cancel   | E | 5.00  |
| 329   | O1    | 90-1       | OFM/Co        | F | Wavy can - Des cut by perf at R                                  | E | 2.00  |
| 330   | P6    | 143-7      | PD/.Co        | G | Lgt roller - Rare but partly thin                                | E | 3.00  |
| 331   | P14   | 144-1      | PS            | G | Light cancel - (1h.) - VG  | E | 3.00  |
| 332   | P15   | 214-1      | PS            | I | Saskatoon NO 20 35 cancel  | E | 3.00  |
| 333   |       | 242-3      |               |   | Hor strip of 4, SON N. Battleford can<br>AP 20 43 - Missing pins | E | 3.00  |
| 334   |       | 242-3      |               |   | Vert.strip of 4, Prince Albert<br>MY 14 46 cancel - Missing pins | E | 3.00  |
| 335   |       | 242-3      |               |   | Same as above - MR 29 46 - MP                                    | E | 3.00  |
| 336   |       | 465A-3     |               |   | Saskatoon roller   | E | 3.00  |
| 337   | R8    | 116-1      | (R)S(Co)      | F | Roller can - Clean - Des to BR                                   | E | 2.00  |
| 338   | R9    | 110-1      | RT/Co         | F | Slogan can - (5h.) - Des to B                                    | E | 4.00  |
| 339   | S18   | 109i-1     | SUN/LIFE      | G | Wavy can - SE at top - Des to R                                  | E | 2.00  |
| 340   |       | 116-1      |               |   | Light cancel   | E | 2.00  |
| 341   |       | 119-1      |               |   | Light cancel - Good stamp  | E | 2.00  |
| 342   |       | 119-3      |               |   | Heavier Montreal roller cancel                                   | E | 3.00  |
| 343   |       | 119iv-1    |               |   | Retouched die - Des to L   | E | 3.00  |
| 344   |       | 150-1 pair |               |   | Wavy cancel  | E | 2.00  |
| 345 P |       | 151-5      |               |   | Smudge cancel - One perf pulled                                  | E | 5.00  |
| 346   | W9    | 220-8      | WJG           | G | Roller can - Des to R  | R | 2.00  |
| 347 P | Des#1 | 142-3      | Maltese cross |   | Slogan cancel - PF = G   | R | 2.00  |



327



328



345



347



348

### PIECE

348 P C51 197-1 and 209-3 CPR 2 stamps on piece - Montreal AU 20 34 E 8.00

### MIXTURES

349 125 perfins mixed - No BT or Railways - Very little duplication E 12.00  
 350 150+ perfins - Several good items noted - Certainly worth E 12.00

### COVERS WITH CANADIAN PERFIN

|       |     |                  |       |   |   |   |       |
|-------|-----|------------------|-------|---|---|---|-------|
| 351 P | B14 | 251-3            | BT    | I | #8 window env w/ID Tilsonburg JU 5 43   | E | 3.00  |
| 352 P | C25 | 164-3            | C(HI) | G | Proulx #7880- Hamilton SE 8 30  | E | 8.00  |
| 353 P |     | 232-3            |       |   | Proulx #4636- Hamilton SE 29 41<br>The #10 envelope is not full size  | E | 5.00  |
| 354 P | C32 | 90-3             | "     | F | #8 env. return env. w/Saskatoon add.<br>Uncancelled with damaged stamp  | E | 5.00  |
| 355 P | C38 | J16/17-5         | CMS   | G | Hamilton SEP 29 41 #8 window env.<br>opened 3-sides - 6¢ due in a box   | E | 10.00 |
| 356 P | C41 | 789-1            | CNR   | H | Bank of Montreal env. Calgary 1979  | E | 3.00  |
| 357 P |     | 790-1            |       |   | " " " Edmonton can  | E | 3.00  |
| 358 P | C45 | 337-3pr<br>338-1 | CNR   | I | 3 stamps perfinned - MacDonald Hotel<br>return label and back rubber stamp<br>Front can: Edmonton APR 9 58 Proulx 5565<br>Back can.: Edmonton AP 21 58 Pr.#3412 | R | 7.00  |
| 359 P | C50 | 105-1<br>107-1   | CPR   | H | Rubber stamped "UNCLAIMED" #8 kraft<br>env. Montreal MY 17 24 Proulx 6045   | E | 5.00  |
| 360 P |     | 107-1            |       |   | Violet "RETURN" large hand #8 CPR Co<br>env. Montreal MY 20 24 Proulx #6350   | E | 5.00  |
| 361 P | C53 | 341-1            | CPR   | H | Clean #8 env. with ID - SON unclear   | R | 2.00  |
| 362 P | C61 | 196-1            | CW/C  | F | Incomplete pattern - #218 not perfin.<br>#8 env.- Hamilton JUL 10 37  | E | 5.00  |
| 363 P | G8  | 197i-5           | GM/Co | F | Incomplete pattern - Des to BL<br>Toronto NOV 29 34 - Wavy cancel   | E | 10.00 |


|       |        |             |       |   |   |   |       |
|-------|--------|-------------|-------|---|---|---|-------|
| 364 P | 08     | 254-4       | OH/MS | I | Wartime Prices and Trade Board ID<br>#8 kraft env. London MAR 10 44<br>Proulx cancel No. 4499 | E | 8.00  |
| 365 P | W17    | 165a-1      | WW/JR | G | #10 env w/ID Toronto FEB 7 31<br>Wavy can - Opened 3 sides                                    | E | 10.00 |
| 366 P |        | 166-1       |       |   | #10 env. w/ID - Toronto JUN 29 32<br>Opened 3 sides - Proulx #1150s                           | E | 10.00 |
| 367 P | Des #1 | 109-1 die 2 | Cross | G | Winnipeg APR 19 26 - Front only   | R | 5.00  |

RAILWAY POST OFFICE (R.P.O.) on canadian perfinned stamps

|       |          |          |          |                                       |         |                           |         |
|-------|----------|----------|----------|---------------------------------------|---------|---------------------------|---------|
| 368 P | C42      | 254-1    | CNR      | Sm env. about 3 1/2" x 5 1/2" (white) |         |                           |         |
|       |          |          | DD-30    | RF 100                                | Route 9 | FE 20 46                  | E 3.00  |
| 369   | C43      | 315-1    | W26      | 60                                    | -       | -- -- 51                  | E 1.00  |
| 370   |          | 196-1    | W28      | 85                                    | 4       | NO 3 35                   | E .75   |
| 371   |          | 248-3    | W28      | 85                                    | -       | SE 22 39                  | E 2.00  |
| 372   |          | 248-4    | W28      | 85                                    | 1       | SE 18 39 creased          | E 2.50  |
| 373   |          | 247-2    | W301     | 150                                   | 2       | JUL 9 -- 1 corner pulled  | E 1.50  |
| 374   |          | 248-3    | W64      | 90                                    | 707     | SE 12 39                  | E 2.00  |
| 375   |          | 109-3 d1 | W77      | 40                                    | 68      | JA 17 25 train 11         | E 1.00  |
| 376   |          | 248-1    | W77      | 40                                    | 12      | SE 28 39 VG               | E 2.00  |
| 377 P |          | E3-1     | W77      | 40                                    | SON     | MAY 7 28 couple perf pul. | E 7.00  |
| 378 P |          | 250-1    | W80      | 135                                   | 43      | -- -- 4- train #8 blk/4   | E 5.00  |
| 379 P |          | E2-1     | W80      | 135                                   | SON 68  | -- 13 24 VG stamp         | E 10.00 |
| 380   |          | 282-1    | W111b    | 150                                   | 195     | NO 29 69 VG stamp         | E 2.00  |
| 381   |          | 234-1    | W111c    | 110                                   | 198     | SE 17 38 Des to B         | E 2.00  |
| 382   |          | 164-1    | W161     | 80                                    | 1       | DE 31 30 Des to B         | E 1.00  |
| 383   |          | 213-1    | W161     | 80                                    | 2       | SE 17 35 Des to TR        | E 2.00  |
| 384   |          | 213-3X   | W161     | 80                                    | 2       | SE 16 35 Double punch     | E 5.00  |
| 385   | C53      | 165-1    | W-25B    | 190                                   | 1       | MY 19 31 One corner pull. | E 1.00  |
| 386   |          | 164-1    | W-26     | 60                                    | 1       | NO 25 30                  | E .75   |
| 387   |          | 165-1    | W-26     | 60                                    | 1       | JUL 6 31                  | E .75   |
| 388   |          | 165-1    | W-28     | 85                                    | 1       | JU 23 31                  | E .75   |
| 389   |          | 167-1    | W-28     | 85                                    | 1       | SEP 2 31                  | E .75   |
| 390   |          | 231-1    | W-29q    | 160                                   | 3       | JA 13 40                  | E 2.00  |
| 391   |          | 232-1 pr | W-29q    | 160                                   | 3       | MAY 6 43 One strike       | E 3.00  |
| 392   |          | 165-1    | W-30-152 | 195                                   | 1       | MY 30 31                  | E 2.00  |
| 393   |          | 165-1    | W-30-154 | 160                                   | 1       | JU 25 31                  | E 1.50  |
| 394   | strip/3  | 231-1    | W-64     | 90                                    | 707     | JUL 27 42 3 strikes       | E 2.50  |
| 395   | pair     | 250-3    | W-64     | 90                                    | 707     | JUN 22 43                 | E 2.00  |
| 396   | on piece | 231/250  | W-64     | 90                                    | 707     | JAN 15 43 One strike      | E 2.00  |
| 397   | on piece | 231/232  | W-64     | 90                                    | 707     | Mr 12 40 Two strikes      | E 2.00  |
| 398   | on piece | 233-1    | w-64     | 90                                    | 707     | AU 25 42 One strike       | E 1.50  |
| 399   |          | 233-3    | W-132    | 130                                   | 11      | JAN 30 40                 | E 1.25  |
| 400   | 08       | 254-4    | MA-11    | 15                                    | 59      | NO 30 47 on piece         | E 1.50  |
| 401   |          | 249-4    | Q-22A    | 190                                   | 11      | MY 22 46                  | E 2.00  |
| 402   |          | 231-2    | Q-177    | 90                                    | 213     | MY 27 40 on piece         | E 1.00  |
| 403   |          | 233-4    | Q-201    | 50                                    | 64      | FEB 7 41 cut perf.        | E .50   |
| 404   | strip/3  | 231-2    | 0-70     | 145                                   | 5       | DE 13 41 2 strikes        | E 3.00  |
| 405   |          | 249-4    | 0-311    | 125                                   | 2       | FEB 1 45                  | E 1.50  |
| 406   |          | 249-4    | 0-376    | 105                                   | 707     | DE 25 46                  | E 1.00  |
| 407   |          | 249-4    | 0-378    | 125                                   | 8       | JUL 8 46                  | E 1.50  |
| 408   |          | 242-1    | W-2      | 135                                   | 51      | MR 10 42 perf nib at R    | E 1.00  |
| 409   |          | 255-4    | W-11     | 180                                   | 60      | FEB 5 43                  | E 1.00  |
| 410   |          | 235-4    | W-12     | 140                                   | -       | NO -- 4-                  | E 1.25  |
| 411   |          | 249-4    | W-30q    | 160                                   | 4       | MR 7 46                   | E 2.00  |
| 412   |          | C8-3     | W-77     | 40                                    | 12      | AP 18 46                  | E 2.00  |



377



378




379

|     |         |       |          |     |     |           |           |        |
|-----|---------|-------|----------|-----|-----|-----------|-----------|--------|
| 413 | 08      | 235-4 | W-95A    | 175 | -   | JUL 2 41  | E         | 2.00   |
| 414 |         | C8-1  | W-102    | 75  | 13  | OC 25 44  | E         | 1.00   |
| 415 |         | 233-2 | W-191    | 70  | 3   | NO 26 -0  | E         | 1.00   |
| 416 | Strip/3 | 233-4 | W-191    | 70  | 3   | AU 8 40   | 2 strikes | E 2.00 |
| 417 |         | 249-4 | DD-52    | 40  | 23  | JUL 31 46 | E         | .50    |
| 418 | 09      | 249-4 | Q-177D   | 165 | 213 | NO 20 46  | E         | 1.50   |
| 419 |         | 250-4 | pr W-20  | 80  | 26  | OC 23 47  | Pair      | E 1.50 |
| 420 |         | 254-4 | W-116    | 140 | 327 | JA 13 47  | On piece  | E 2.00 |
| 421 |         | 269-3 | pr W-123 | 160 | 66  | AU 23 4-  | Hor. pair | E 2.50 |
| 422 |         | 255-4 | DD-52    | 40  | 12  | DE 11 49  | E         | .50    |

**LATE ENTRIES**

The following lots are offered at reduced prices.  
 Bids may start at 3/4 of the estimate price, as for all the other lots.  
 BID EARLY.

|       |       |       |       |   |                                 |   |      |
|-------|-------|-------|-------|---|---------------------------------|---|------|
| 423   | C17   | 197-7 | C(HI) | E | Circular cancel                 | E | 3.00 |
| - 424 | P C19 | 257-1 | C(HI) | E | Circular cancel                 | E | 5.00 |
| 425   | C20   | 190-1 | C(HI) | F | Light duplex cancel             | E | 3.00 |
| 426   | C21   | 251-1 | C(HI) | D | Light wavy cancel - Split punch | E | 3.00 |
| 427   |       | 251-1 |       |   | " " " - Incomplete punch        | E | 3.00 |
| 428   |       | 251-7 |       |   | Slogan cancel - Missing pins    | E | 3.00 |
| 429   | C22   | 167-1 | C(HI) | F | Light cancel - (1h.)            | E | 3.00 |
| 430   |       | 219-1 |       |   | Uncancelled                     | E | 2.00 |



**ONLY HIGH VALUES - Some seldom seen.**

|       |    |       |               |   |                                      |   |       |
|-------|----|-------|---------------|---|--------------------------------------|---|-------|
| 431   | G8 | 119-1 | GM/Co         | F | Lgt can - Des to BL - MP             | E | 4.00  |
| - 432 | P  | 120-1 |               |   | Light cancel - Des to T              | R | 6.00  |
| - 433 | P  | 120-1 |               |   | Heavier cancel - (4h.)               | R | 5.00  |
| - 434 | P  | 175-5 |               |   | SON Lgt purple can "Ins & C.O.D."    | R | 8.00  |
| 435   |    | 175-5 |               |   | Toronto roller                       | E | 4.00  |
| 436   |    | 175-5 |               |   | Toronto roller                       | E | 4.00  |
| 437   |    | 175-5 |               |   | Line cancel                          | E | 4.00  |
| 438   | P  | 176-1 |               |   | Light Toronto roller - MP - Superbe  | E | 15.00 |
| - 439 | P  | 176-1 |               |   | Light Toronto #215 roller can - MP   | E | 15.00 |
| - 440 | P  | 176-5 | incompl.punch |   | Part of purple can "Ins. & C.O.D."VG | E | 15.00 |
| - 441 | P  | 176-5 | Vert.pr.      |   | Toronto roller - Incomplete punch    | E | 25.00 |
| - 442 | P  | 176-5 | Vert.strip/3  |   | Top stamp SE-Roller-Incomp. punch    | E | 30.00 |
| 443   | P  | 226-1 |               |   | Part of roller can - Split punch     | E | 10.00 |
| 444   | P  | 226-5 |               |   | Very light roller can - VG copy      | E | 12.00 |
| 445   | P  | 244-5 |               |   | Very light cancel - VG copy          | E | 12.00 |



Good hunting and good luck with your bids.



IF NOT DELIVERED IN 3 DAYS RETURN TO OFFICE OF MAILING

351

Collection Agency  
International Harvester Co. of America  
(INCORPORATED)  
Saskatoon  
Saskatchewan  
P. O. Box 1644  
354

IF NOT DELIVERED IN 3 DAYS RETURN TO INTERNATIONAL HARVESTER COMPANY OF CANADA, LIMITED HAMILTON, ONT.

HAMILTON ONTARIO 6:34 PM SEP 8 1930

SAVED MAIL

352

3559

From Helen  
L. 25 11/11

RESTAURANT  
16th St.  
Pa

MONTRÉAL MAY 17 7:4 PM 1924 P.Q.

UNE METIÈRE PAS UN D'ARGENT DANS LES LETTRES NON UNIFORMES RECOMMANDÉES

HAMILTON ONTARIO SEP 23 7 PM 1941

HOLD FAST FOR

353

CANADIAN GENERAL ELECTRIC COMPANY LIMITED

355

Oliver Consolidated Mining & Smelting,

361 362

BID EARLY

363

364

WARTIME PRICES AND TRADE BOARD AT POINT OF MAILING COMMISSION DES PRIX ET DU COMMERCE AU TEMPS DE GUERRE AU LIEU D'ORDRE

O.H.M.S. CANADA

HELPER + THE RED CROSS

365

RETURN TO GORDON, MACKAY & CO. LIMITED TORONTO-2

366

367

368

19931

NO ACCIDENT SEMAINE WEEK SANS ACCIDENTS MAY 31-JUNE 6 JUIL 6

Chas. Middleton,  
146-A Colborne Street,  
Montreal.

360

RETURN IN TEN DAYS TO WM. WRIGLEY JR. COMPANY, LIMITED TORONTO 8 - CANADA

365

CANADIAN PACIFIC RAILWAY COMPANY

360

Bank of Montreal Banque de Montréal  
P.O. Box 1004 Station A

356

RETURN IN TEN DAYS TO WM. WRIGLEY JR. COMPANY, LIMITED TORONTO 8 - CANADA

365

366

367

368

IF UNDELIVERED IN 3 DAYS RETURN TO GUTTA PERCHA & RUBBER, LIMITED AT POINT OF MAILING

WINDMILL 5:18 PM FEB 19 1944

366

367

368

Bank of Montreal Banque de Montréal

356

M. L. TELLEY 14818 - 32 AVE #212 EDMONTON ALTA T4N 2S5

357

358

AFTER 30 DAYS RETURN TO CANADIAN NATIONAL RAILWAYS AT OFFICE OF MAILING

1958

RETURN TO

Checked with R.G. Jones  
Mr. J. Charles,  
Consulting Engineer.

FORWARDED FROM EDMONTON CANADIAN NATIONAL RAILWAYS HOTEL DEPT.

358

19

FEB 21 1946

Madam Systems, Inc.  
Mr. Ray P. ...  
Sudbury  
Ont.

368

366

367

RESULTS OF AUCTION No. 7

The lots without bids are not listed here.

| Lot No. - Sold for | Lot No. - Sold for | Lot No. - Sold For | Lot No. - Sold For |
|--------------------|--------------------|--------------------|--------------------|
| 1 - 3.00           | 38 - 1.75          | 75 - 2.00          | 108 - 1.00         |
| 2 - 6.00           | 39 - 1.50          | 76 - 3.00          | 109 - 3.50         |
| 3 - Retired        | 40 - 1.00          | 77 - 5.00          | 112 - 13.50        |
| 4 - 2.00           | 41 - 2.25          | 78 - 9.00          | 113 - 10.00        |
| 5 - 1.75           | 42 - 6.00          | 79 - 10.00         | 114 - 6.75         |
| 7 - 1.50           | 43 - 2.00          | 84 - 2.00          | 115 - 3.00         |
| 8 - 1.25           | 45 - 2.00          | 85 - 5.00          | 116 - Returned     |
| 10-2 - 2.25        | 46 - 2.25          | 86 - 3.00          | 117 - "            |
| 13 - 3.00          | 47 - 3.50          | 88 - 18.75         | 118 - 3.00         |
| 14 - 5.00          | 48 - 4.00          | 89 - 18.75         | 119 - 5.00         |
| 15 - 5.00          | 49 - 1.00          | 90 - 18.75         | 120 - 5.00         |
| 16 - 4.00          | 50 - .75           | 90c - 13.25        | 121 - 3.00         |
| 17 - 4.00          | 51 - 3.00          | 90d - 1.00         | 122 - 4.00         |
| 18 - 4.00          | 52 - 3.50          | 92 - 2.00          | 123 - 10.00        |
| 19 - 4.00          | 53 - 4.50          | 93 - 2.00          | 124 - 3.00         |
| 20 - Returned      | 54 - 5.00          | 94 - 6.75          | 125 - 7.00         |
| 21 - 4.50          | 59 - 10.00         | 95 - 5.00          | 126 - 6.75         |
| 22 - 2.25          | 60 - 3.50          | 96 - 2.00          | 127 - 5.00         |
| 23 - 3.50          | 63 - Returned      | 97 - 2.00          | 128 - 20.00        |
| 25 - 11.00         | 64 - 2.00          | 98 - 3.00          | 131 - 20.00        |
| 27 - 1.50          | 65 - 4.50          | 99 - 2.00          | 132 - 13.25        |
| 28 - 1.50          | 66 - 4.50          | 100 - 1.00         | 133 - 15.00        |
| 29 - 1.25          | 68 - 4.00          | 101 - 2.00         | 134 - 10.00        |
| 31 - 1.00          | 69 - 9.00          | 102 - 4.00         | 135 - 20.00        |
| 32 - 2.00          | 70 - 9.00          | 103 - 1.50         | 136 - 10.00        |
| 33 - 3.00          | 71 - 11.00         | 104 - 1.50         | 137 - Returned     |
| 34 - 2.00          | 72 - 2.00          | 105 - 1.50         | 138 - 8.00         |
| 35 - 10.00         | 73 - 5.00          | 106 - 2.00         |                    |
| 36 - 1.00          | 74 - Returned      | 107 - 2.00         | END                |